## Open session: fluid-structure interaction models

## General presentation:

Many physical phenomena involve moving or deformable structures interacting with fluids and are of great interest. A special study is necessary when fluid and structure dynamics influence each other: the structure deforms under the action of the fluid stresses and, conversely, the fluid follows the structure displacement.

The structure can be immersed in a fluid (for instance for a plane surrounded by air, a submarine in the sea, wind induced oscillations of a bridge) or the fluid can be contained in the structure (blood in arteries).

Usually the structure is rigid (the structure motion is then composed of a translation part and a rotation part) or deformable (modeled by elasticity equations). If it moves freely, the motion of an elastic structure combines a rigid motion and an elastic motion.

To have an idea of further challenges, we give some open problems.

## **Open problems**

• Global existence of weak solutions.

Global existence of weak solutions is not proved for the interaction problem between an elastic structure and a fluid. For the time being, studies consider regularized elastic motions to avoid problems of instantaneous collisions or interpenetration of the structure.

• Uniqueness and regularity.

Uniqueness has been proved for a rigid structure evolving in a fluid in 2D. A regularity result is proved for this problem in  $L^2$ .

Open problems: 3D ? elastic structure ?  $L^r$  ?

• The problem of collision.

1

In 2D, for a rigid structure in a fluid modeled by Navier-Stokes equations, a result obtained in [14] proves that no collision can occur and thus global existence of solution is proved. In the other cases, existence or uniqueness is usually local and is obtained as long as no collisions occur.

• Asymptotic behavior.

The asymptotic behavior of a fluid alone modeled by Navier-Stokes equations is very difficult. A study of [13] deals with the heat equation and a rigid structure in an unbounded domain.

• Controllability of fluid-structure interaction problems.

A one-dimensional result of null controllability is proved by [8] for a fluid modeled by Burgers equation.

## **References:**

- [1] H. BEIRAO DA VEIGA, On the existence of strong solutions to a coupled fluidstructure evolution problem, J. Math. Fluid Mech., 6 No 1 (2004), 21-52.
- [2] M. BOULAKIA, Existence of weak solutions for the motion of an elastic structure in an incompressible viscous fluid, to appear in J. Math. Fluid Mech.
- [3] M. BOULAKIA, Existence of weak solutions for the motion of an elastic structure in an incompressible viscous fluid, to appear in J. Math. Pures Appl.
- [4] A. CHAMBOLLE, B. DESJARDINS, M.J. ESTEBAN, C. GRANDMONT, Existence of weak solutions for an unsteady fluid-plate interaction problem, to appear in J. Math. Fluid Mech.
- [5] C. CONCA, J. SAN MARTIN, M. TUCSNAK, Existence of solutions for the equations modelling the motion of a rigid body in a viscous fluid, Comm. Partial Differential Equations 25 (2000), 1019-1042.
- [6] B. DESJARDINS, M.J. ESTEBAN, On weak solutions for fluid-rigid structure interaction : compressible and incompressible models, Comm. Partial Differential Equations 25 (2000), 1399-1413.
- [7] B. DESJARDINS, M.J. ESTEBAN, C. GRANDMONT, P. LE TALLEC, Weak solutions for a fluid-elastic structure interaction model, Rev. Mat. Complut., 14 (2001), 523-538.

2

- [8] A. DOUBOVA, E. FERNANDEZ-CARA, Local and global controllability results for simplified one-dimensional models of fluid-solid interaction, to appear in Math. Models Methods Appl. Sci.
- [9] E. FEIREISL, On the motion of rigid bodies in a viscous compressible fluid, Arch. Ration. Mech. Anal. 167 No 4 (2003), 281-308.
- [10] F. FLORI, P. ORENGA, Fluid-structure interaction: analysis of a 3-D compressible model, Ann. Inst. H. Poincaré. Anal. Non Linéaire, 17 No 6 (2000), 753-777.
- M.D. GUNZBURGER, H.C. LEE, G.A. SEREGIN, Global existence of weak solutions for viscous incompressible flows around a moving rigid body in three dimensions, J. Math. Fluid Mech., 2 (2000), 219-266.
- [12] K.-H. HOFFMANN, V.N. STAROVOITOV, On a motion of a solid body in a viscous fluid. Two-dimensional case, Adv. Math. Sci. Appl. 9 (1999), 633-648.
- [13] A. MUNNIER, E. ZUAZUA, Large time behavior for a simplified N-dimensional model of fluid-solid interaction, Commm. Partial Diff. Eq. 30 (2005), 377-417.
- [14] J. SAN MARTIN, V. STAROVOITOV, M. TUCSNAK, Global weak solutions for the two dimensional motion of several rigid bodies in an incompressible viscous fluid, Arch. Rational Mech. Anal., 161 (2002), 93-112.
- [15] T. TAKAHASHI, M. TUCSNAK, Global strong solutions for the two-dimensional motion of an infinite cylinder in a viscous fluid, J. Math. Fluid Mech, 6 (2004), 53-77.